

#### 95-702 Distributed Systems

#### Lecture 1: Introduction

95-702Distributed Systems Master of Information System Management

1

#### Course Web Site

http://www.andrew.cmu.edu/course/95-702/

#### How Related to Other Courses



### **Course Technologies**

- IDE (Netbeans)
- Java Web Applications (Glassfish)
- Message Oriented Middleware (Sun's Message Queue )
- Web Services (JDK 6, Glassfish)
- Distributed Objects (Java RMI, and EJB's)
- Mobile platform (Android)

## Getting Started Notes

- See the schedule for instructions on getting started with the course technologies.
- The installation includes Netbeans, Glassfish and the Android emulator.
- Not to be turned in but please begin this assignment now and let us know of any problems.
- Homework 1 is also assigned.

#### Structure of the Course

- Lectures / class participation
- Demonstrations (with your active involvement)
- Homework (pencil and paper and programming) The secret is to start early.
- Two Midterms
- Final examination

95-702Distributed Systems

#### Readings

- Readings from the required text are assigned for each lecture -read them in advance.
- Readings from the web will also be assigned.
- For this week, read Coulouris chapters 1 and 2

# Grading

•	Homework/Programming (5-7)	48%
•	2 Midterms	16%
•	Final Exam	30%
•	Labs	6%

- We will be very fussy about deadlines. One second late is late.
- All times are Adelaide times. Blackboard may show Pittsburgh times. We will work from Adelaide time.
- Use the discussion board for all queries with a response that should be heard by the entire class.

Characterization of Distributed Systems

- Components are located on networked computers and execute concurrently.
- Components communicate and coordinate only by passing messages.
- There is no global clock.
- What was the "Pony Express" like?

#### Pioneer Plaque Early 70's



95-702Distributed Systems Master of Information System Management

10

#### Main Motivations for Constructing DS

- Communications and Resource sharing.
- We want to share:

Programs Data CPU cycles Files Printers Etc.

95-702Distributed Systems

Four Important Integration Styles

- Shared Files
- Shared Database
- RPC
- Messaging

#### Challenges in Constructing DS

- Heterogeneity of components
- Openness
- Security (Eve and Mallory)
- Scalability
- Failure handling
- Concurrency of components
- Transparency

Which of these are not challenges when constructing standalone systems?

95-702Distributed Systems

# Example Distributed Systems

• The internet

A collection of diverse networks A very large distributed system providing services such as email, file transfer, telnet, and recently, WWW, Web Services, and multimedia

- Intranets (a portion of the internet separately administrated) and connected to the internet via a router
- Mobile and ubiquitous computing
- Sensor networks

95-702Distributed Systems

# A typical portion of the Internet





## Portable and handheld devices in a distributed system



#### Resource Sharing and the Web

- A server is a running program on a networked computer that accepts requests from programs running on other computers to perform a service and respond appropriately
- The requesting processes are referred to as *clients*
- WWW, Web Services, networked printers and email fit this model

#### The World Wide Web(1)

- Created by Sir Tim Berners-Lee at European centre for nuclear research (CERN) in Switzerland in 1989 (Knighted 2003)
- Provides a hypertext structure allowing documents to contain links to other documents
- Is an open system (can be extended and implemented in new ways, standards are public and widely implemented)

### The World Wide Web (2)

- The web is based on three main standard technological components
  - (1) HTML for presentation of content and Links
  - (2) URL's to point to a resource and specify a protocol
  - (3) HTTP to describe the request and reply protocol

95-702Distributed Systems



#### A Request May Cause

- A simple file transfer
- A process to be run on the server and content sent to the browser (CGI programs, servlets, JSP pages, etc.)
- Program code to be downloaded and executed in the browser (JavaScript, Applets, Java Web Start, etc.)

95-702Distributed Systems

# Challenges to DS Design(1)

- Heterogeneity applies to Networks (Ethernet, Wireless,..) Computer Hardware (PC's, PDA's,..) Operating Systems (Linux, OS X, Windows,..)
  - Programming Languages ( Java, C++, C#,..)

Different developers

 The role of Middleware is to provide a programming abstraction that addresses these issues
 Master of Information System
 Management

# Challenges to DS Design(2)

• Open

- -- The system can be extended and re-implemented in a variety of ways
  - -- The key specifications are published
  - -- The system is independent of a particular vendor

# Challenges to DS Design(3)

• Security

Some resources are highly valued. Confidentiality is often required. Integrity is often required. Availability is often essential.

- Cryptography will help with much of this.
- Denial of Service and Mobile Code are not yet easy to handle

# Challenges to DS Design(4)

• Scalability

A system is described as scalable if it will remain effective when there is a significant increase in the number of resources and the number of users

For a system with n users to be scalable the quantity of physical resources required to support them should be O(n).

95-702Distributed Systems

# Challenges to DS Design(5)

• Scalability

For system to be scalable, the loss in performance attributed to additional users or resources should be O(Log n)

Examples of bottleneck avoidance

- distributed algorithms
- Domain Name System
- caching
- replication

95-702Distributed Systems

#### **Computers in the Internet**

Date	Computers	Web servers
1979, Dec.	1	88 0
1989, July	130,0	))() 0
1999, July	56,218,0	000 5,560,860

The internet has been scalable and extensible. However, the 32 bit IP address was too small. Moving to IPv6, 128 bits.

## Computers vs. Web Servers on the Internet

Date	Computers	Web servers	Percentage
1993, July	1,776,000	130	0.008
1995, July	6,642,000	23,500	0.4
1997, July	19,540,000	1,203,096	6
1999, July	56,218,000	6,598,697	12

Netcraft reports 118,000,000 web sites active in May of 2007.

# Challenges to DS Design(6)

 Failure Handling Particularly difficult in DS Failures are often partial Issues include: Detecting failures Masking or hiding failures with, e.g., retries **Tolerating Failures** Recovery from failures or rolling back changes 95-702Distributed Systems Master of Information System

Challenges to DS Design(7)

• Concurrency

Multiple client requests are often allowed to take place concurrently. Forcing one request at a time would limit throughput. Standard techniques exist to protect against conflicts, E.g., Java and C# synchronization.

95-702Distributed Systems

## Challenges to DS Design(8)

• Types of Transparency (or concealment)

**Access transparency**: enables local and remote resources to be accessed using identical operations.

**Location transparency:** enables resources to be accessed without knowledge of their location.

**Concurrency transparency**: enables several processes to operate concurrently using shared resources without interference between them.

**Replication transparency**: enables multiple instances of resources to be used to increase reliability and performance without knowledge of the replicas by users or application programmers.

# Challenges to DS Design(9)

- **Failure transparency:** enables the concealment of faults, allowing users and application programs to complete their tasks despite the failure of hardware or software components.
- **Mobility transparency**: allows the movement of resources and clients within a system without affecting the operation of users or programs.
- **Performance transparency**: allows the system to be reconfigured to improve performance as loads vary.
- Scaling transparency: allows the system and applications to expand in scale without change to the system structure or the application algorithms.

#### Pitfalls when Developing Distributed Systems

Some false assumptions that may be made by designers:

- The network is reliable.
- The network is secure.
- The network environment is homogeneous.
- Latency is zero.
- Bandwidth is infinite.
- Transport cost is zero.
- There is one administrator.