
Index

- * comments, 125
- ; comments, 107
- %0 ... %8 Synonyms, 29, 44
- VP subroutines, 141

- arbscript example, 65
- arbscripts, 33
- arcs, 91, 103, 138
- arrows, 93
- averaging, 51, 69
- axis
 - customizing labels and tics, 57, 61
 - grid lines, 53
 - logarithmic, 53, 59
 - multiple scales, 57
 - non-linear, 59
 - numeric labels, 55, 61
 - reversed limits, 49
 - scale factor, 49
 - text labels, 55
 - tics, 61
- axis limits, 18

- backspace, 35
- bar charts, 101, 126
- bars, 87
- batch processing, 44
- binary arrays, 71
- bitmap output, 196
- boxing text, 36

- calculations, 23, 24, 30, 63, 69, 97, 109, 121, 122, 132, 135, 139, 147, 156–159, 161

- captions, 133
- classroom materials, 99
- closed curves, 79
- CMs as a coordinate unit, 41
- color change
 - text, 35
- command format, 21
- command reference, 107–159
- commands
 - ARRAYDAT, 107
 - ARRAYDATA, 71
 - AVERAGE, 69, 85, 110
 - AXIS, 8, 9, 12, 18, 41, 55, 57, 59, 61, 112, 133, 163, 166
 - BINREAD, 51, 117, 161, 165
 - BINSAVE, 51, 118, 161, 165
 - BOXLIMIT, 41, 115
 - COMMENT, 14, 37, 119
 - CURVE, 9, 13, 14, 25, 32, 63, 75, 121
 - DOFILE, 101, 103, 124
 - ECHO, 126, 139
 - END, 20, 38, 144
 - FILTER, 128
 - FIT, 51, 77, 126, 167
 - GEDIT, 83, 93, 130
 - IF, 17, 28, 39, 132
 - LABEL, 9, 13
 - LABELS, 37, 133, 166
 - LINE, 135
 - MACRO, 19, 20, 38, 87, 89, 126, 136
 - PATTERN, 32, 135, 137, 162
 - POLYGON, 138

commands (continued)
 PRIMITIVE, 71, 91, 138
 PRINT, 8, 109, 140, 161, 164
 QUIT, 141
 READ, 3, 28, 29, 136, 141, 164
 RECORD, 3, 39, 136, 139, 140, 143
 REPEAT, 20, 38, 144, 164
 RESTART, 7, 8, 29, 38, 136, 144
 RETURN, 19, 38, 136
 SAVE, 7, 145
 SYSTEM, 128, 146
 TABDATA, 11, 12, 18, 110, 146, 163
 TABS, 37, 148
 TEXTBOX, 14, 33, 37, 75, 83, 95, 97, 99, 105, 148
 TICMARKS, 12, 115, 151, 166
 UGH, 152
 VIEW, 3, 8, 9, 43, 47, 154, 164
 XDATA, 156, 163
 XYDATA, 8, 11, 157, 163
 XYERRDAT, 67
 XYERRDATA, 159
 YDATA, 156, 163
 ZDATA, 156
 comparing text strings, 28
 conditional execution, 38, 132, 144
 coordinate systems, 41
 copyright symbol, 37
 correlation, 129
 CR (carriage return), 35
 Ctrl-C, 142
 cursor positioning, 39

 data input, 51
 data scaling, 149
 date, 31
 debugging, 142
 DEC files, 181, 182
 DEFINE, 168
 DEFINE REAL parameters, 30
 DEFINE synonyms, 29-30, 168
 drawing
 error bars, 159
 lines, 31, 121, 135, 137
 symbols, 31, 121, 159
 drawing symbols, 164

 editing .exg files, 3
 ELSE, 132
 ENDIF, 132
 environmental variables, 142
 EXGPATH, 142
 PATH, 142
 VPUGHPATH, 142

 erase, 135
 error bars, 59, 67, 159
 escape, 24

 FALSE
 IF command, 39, 132
 FFT, 129
 fit
 errors, 127
 least squares, 126
 fit coefficients in text, 51, 53, 73, 77
 font change, 35
 fonts, 32
 French accents, 188

 German accents, 188
 GIF images, 196
 graphic editing, 83
 graphic input, 3, 39, 119, 138, 143, 149, 154, 156
 graphic primitives, 91
 graphic views, 145
 graphic window, 154
 Graphical Input, 39
 Greek characters, 33

 hardcopy, *see* utility programs
 hatching, 79, 135, 138
 Hershey fonts, 32
 hexadecimal notation, 23, 29
 histograms, 85

 image output, 196
 images, 93, 131
 implied loops, 63
 INCHES as a coordinate unit, 41
 including delimiter characters in text, 37
 including graphics, 105
 including VP output in other documents, 171. *See also* utility programs
 input decoding, 21
 input format, 21
 installation, 4
 INTEGER Parameters, 161
 interactive editing, 142
 interrupting execution, 24
 invoking VP, 44

 keyboard input, 142

 laser printer output, 196
 least squares fits, 51, 77
 LF (line feed), 35

line types, 75
 logical end-of-line character, 132
 loops, 38

 macros, 38
 moments, 127
 mouse, 3
 mouse buttons, 40
 mouse input, 39
 MSGFILE synonym, 30
 multipage output, 185
 multiple commands, 23
 multiple curves, 65, 73
 multiple graphs, 71
 multiple line COMMENTS, 36

 numeric data, 107, 146, 156, 157, 159
 numeric exponents, 23
 numeric input, 23

 options
 ALL, 110, 111, 113, 116, 127
 ARRAY, 140
 ArrayName, 108, 117, 119, 140
 ASIS, 37, 108, 110, 113, 121, 131, 134, 145, 149, 158
 ASIS FILL, 131
 BEST, 154
 BETASPLINE, 123
 BLOWUP, 154
 BOTTOM, 112, 116, 152
 BOX, 113, 119, 127, 135
 BYTE, 109, 118, 147, 157, 158
 CAPTION, 133
 CENTER, 110, 113, 120, 131, 166
 CLOSE, 79, 123, 125
 CMS, 113, 120, 130, 131, 148, 149
 COLUMN, 108, 156, 158
 COMLIM, 155
 CONTINUE, 108, 117, 119, 142, 143, 145, 147, 156, 158
 CURSOR, 113, 119, 120, 127, 130, 131, 135, 148, 149, 158
 CURSOR BOX, 120
 DEFAULT, 144
 DEFAULTCOLORS, 155
 DIFF, 109, 156
 DIVIDE, 130
 DOUBLE, 109, 147, 157, 158
 ELLIPSE, 135
 END, 123, 142
 EOF, 142
 ERASE, 9, 108, 154
 FAST, 155

 filespec, 108, 117, 118, 125, 135, 141, 145, 147, 154, 156, 157, 159
 FILL, 9, 122, 135, 149, 154
 FIXXMAX, 113
 FIXXMIN, 113
 FIXYMAX, 113
 FIXYMIN, 113
 FLOAT, 109, 117, 147, 157, 158
 FRACTION, 154
 GRID, 112, 152
 GRIDDASH, 112
 GRIDDOT, 112
 HATCHBOX, 135
 IMAGE, 131
 INCHES, 113, 120, 130, 131, 148, 149
 INCLUDE, 125, 130
 INDEX, 110
 INTEGERS, 117, 119, 140
 INTEGRATE, 108, 156
 INVISIBLE, 112, 116, 152
 KEEP, 155
 LEFT, 112, 116, 120, 152
 LOCALSPLINE, 122
 LOGLOG, 112, 115
 LOGX, 112, 115
 LOGY, 112, 116
 LONG, 109, 118, 147, 157, 158
 LOWER, 110, 120
 MACRO, 140, 145
 MAGNIFY, 154
 MAJOR, 152
 MAX, 155
 MIN, 155
 MINOR, 152
 MOMENTS, 127
 MOVE, 110
 NEW, 155
 NOXLABEL, 113
 NOXTICS, 12, 113
 NOYLABEL, 113
 NOYTICS, 113
 NULL, 128, 149
 PAGE, 113, 120, 130, 131, 148, 149, 154
 Pname, 119, 140
 REALS, 117, 119, 140
 RESULT, 153
 RETURN, 142
 REVERSE, 118, 140
 RIGHT, 112, 116, 120, 134, 152
 ROTATE, 154
 ROW, 108, 147, 156, 158
 RUBLINES, 119

options (continued)
 SAVE, 123, 144, 153
 SCREEN, 145
 SHORT, 109, 118, 147, 157, 158
 SKIP, 125
 SLOW, 155
 SPLINE, 79, 122
 stdin, 125
 SWAP, 154
 SYNONYMS, 140, 153
 TABDATA, 117, 119, 128
 TOP, 112, 116, 134, 152
 UPPER, 110, 121
 VERTICAL, 120
 WAIT, 142, 153, 154
 X, 110, 111, 117, 119, 128, 133, 152
 XDATA, 117, 119
 XYDATA, 117, 119, 128
 Y, 110, 111, 117, 119, 128, 133, 152
 YDATA, 117, 119
 Z, 117, 119
 ZDATA, 111, 117, 119
 order of fit, 127
 page boundary, 41, 47
 page limits, 113, 116, 154
 parameter list
 INTEGERS, 161–165
 REALS, 165–167
 parameters, 7, 161–167
 ABCOLOR, 114, 116, 164
 AMAJCOL, 114, 163
 AMINCOL, 115, 164
 ANCOLOR, 114, 116, 163
 bot, 7, 8
 BOTTOM, 114, 116, 165
 bottom, 8, 12
 C2COLOR, 36, 164
 c2color, 14
 C2FONT, 36, 164
 c2font, 14
 CCSIZE, 133, 166
 CFONT, 120, 133, 162
 CHI, 167
 CHI defined by FIT, 127, 167
 Cn, 167
 Cn defined by FIT, 127, 167
 COLOR, 121, 124, 135, 138, 162
 color, 9, 13
 COUNT, 38, 144, 164
 count, 20
 CX1, 167
 CX2, 167

CY1, 167
 CY2, 167
 ECORCO, 167
 ECORCO defined by FIT, 127, 167
 ESLOPE, 167
 ESLOPE defined by FIT, 127, 167
 EXPMIN, 164
 EY0, 167
 EY0 defined by FIT, 127, 167
 FITX0, 167
 FITY0, 167
 FLINE defined by DOFILE, 125
 FONTWID, 166
 global, 13
 HTHICK, 167
 ILINE, 121, 123, 135, 137, 159, 161
 iline, 9, 13
 ISYM, 121, 123, 135, 159, 161
 isym, 9, 13
 LEFT, 114, 116, 165
 LOOP, 164
 LSPACE, 36, 133, 150, 166
 LXROUND, 115, 162
 LYROUND, 115, 163
 MXn defined by FIT, 127
 MYn defined by FIT, 127
 NCOL, 163
 ncol, 18, 20
 NDECPL, 140, 164
 NFONT, 114, 162
 NINTX, 114, 163
 NINTY, 114, 163
 NMBR, 163
 NROW, 163
 nrow, 18
 NIEWS, 164
 OFCOLOR, 138, 164
 ofcolor, 81
 PBCOLOR, 154, 164
 pbcolor, 7, 8
 PIXPIN, 163
 PRUNE, 43, 121, 124, 135, 162
 RAB, 167
 RAB defined by FIT, 127, 167
 RIGHT, 114, 116, 165
 right, 7, 8
 SKIP, 108, 142, 147, 156, 157, 159, 164
 SLOPE, 167
 SLOPE defined by FIT, 127, 167
 SMULT, 37, 121, 124, 159, 167
 TCOLOR, 120, 164
 TICSIZE, 115, 166
 TOP, 114, 116, 165

Top, 7
 top, 8
 ULCOLOR, 36, 164
 ulcolor, 14
 ULSpace, 36, 167
 WAXIS, 114, 116, 164
 WIDTH, 121, 135, 137, 138, 164
 WINDTH, 37
 WMAJOR, 114, 164
 WMINOR, 115, 164
 XDECP, 114, 163
 XDMAX, 156, 157, 165
 XDMIN, 156, 157, 165
 XERRMAX, 159, 166
 XERRMIN, 159, 166
 XFONT, 133, 162
 XIND, 115, 149, 165
 xind, 18
 XINT, 114, 165
 xint, 8
 XMAX, 114, 165
 xmax, 8
 XMIN, 114, 165
 xmin, 8
 XMULT, 37, 124, 131, 166
 XPOWER, 124, 166
 XSHIFT, 124, 166
 XSIZE, 114, 116, 165
 xsize, 7, 8, 14
 XTICS, 115, 162
 XYPOWER, 124, 166
 Y0, 167
 Y0 defined by FIT, 127, 167
 YDECP, 114, 163
 YDMAX, 156, 157, 166
 ydmax, 8
 YDMIN, 156, 157, 166
 ydmin, 8
 YERRMAX, 159, 167
 YERRMIN, 159, 167
 YFONT, 133, 162
 YIND, 115, 149, 166
 YINT, 114, 166
 YMAX, 114, 165
 ymax, 18
 YMIN, 114, 165
 ymin, 18
 YMULT, 37, 124, 131, 166
 YPOWER, 124, 166
 YSHIFT, 124, 166
 YSIZE, 114, 116, 165
 ysize, 7, 8, 14
 YTICS, 115, 163
 pie charts, 103, 126
 plotter output, 183

PostScript, 37
 PostScript special characters, 188
 presentation text, 95, 97, 105
 printing ugh output, *prim* 176
 programs
 problems
 with inputting special characters, 33
 profile.exg, 144, 168
 profile.exg file, 44
 PROMPT synonym, 30
 random numbers, 129, 146
 README.VP file, 4
 REAL parameters, 165
 defining new, 30
 recording, 126, 143
 rubber boxes, 40
 rubber lines, 40
 scientific notation, 23
 searching for files, 142
 secondary font, 36
 setting
 parameters, 161
 setup, 4
 shading below curves, 49, 85
 smoothing, 69
 sort, 129
 special characters, 37, 120, 134
 spline, 122
 splines, 51, 79, 89
 subscripts, 33
 superscripts, 9, 33
 SVGA, 45
 symbols, 75
 filled, 81
 overlapping, 81, 89
 with text labels, 89
 synonym, 7
 synonym defaults, 168–169
 SYNONYM definition, 168
 SYNONYM nesting, 168
 SYNONYM substitution, 168
 SYNONYMS, 28, 75, 168
 synonyms
 %0, 17, 29, 44, 141, 169
 %0., 146
 %1 ... %8, 169
 %1 ... %n, 29, 44, 141
 ARROW, 112, 116, 168
 AX, 169
 BLACK, 169
 BLUE, 169
 BX, 169

synonyms (continued)

C1, 139, 169
 C2, 139, 169
 CIRCLE, 168
 CONNECT, 169
 CX, 169
 CX1, 139
 CX2, 139
 CY1, 139
 CY2, 139
 CYAN, 169
 DASHED, 169
 DATE, 169
 DEL, 168
 DI, 169
 DIAMOND, 168
 DOT, 168
 DOTDASH, 169
 DOTTED, 169
 DRAW, 32, 121, 168
 draw, 13
 DX, 169
 GREEN, 169
 LINE, 169
 MAGENTA, 169
 MSGFILE, 30, 169
 NOLABELS, 169
 NOLINE, 169
 NOSYM, 168
 OARROW, 112, 116, 168
 ODEL, 168
 ODIAMOND, 168
 ODOT, 168
 OS, 169
 OSQUARE, 168
 OTRIANGLE, 168
 PATHEXG, 169
 PATHEXG defined by READ, 141
 PLUS, 168
 PROMPT, 30, 169
 RED, 169
 redefining, 29
 removing, 29
 SET, 169
 set, 13
 SI, 169
 SQUARE, 168
 SYMBOL, 121, 136
 SYNBOL, 169
 TIME, 169

TIMESEC, 169
 TRINAGLE, 168
 UGHNAME, 169
 UGHPATH, 145, 169
 WHITE, 169
 XMARK, 168
 YELLOW, 169

tabs, 37, 148
 text, 32, 112, 120, 133, 149, 152
 ?a.b.c?, 37
 including VP symbols/lines, 37
 including parameter values, 31
 including synonyms, 31
 processing in a box, 37, 148
 rotation, 37
 slanted, 77
 special features, 32
 tab spacing and character, 37, 148
 text input, 24
 text rotation, 120
 THEN, 132
 time, 31
 TRUE
 IF command, 39, 132

u-ps, ~~27~~ 183
 UGH, 171
 UGH commands, 152, 155, 171-181
 UGH coordinates, 41
 UGH file, 130, 144, 152, 154
 UGH files, 181, 182
 UGH special characters, 179
 UGH units, 138, 163
 UGH window, 43
 underlining text, 36
 utility programs
 u-cgm, 195
 u-ps, 183
 u-uim, 196
 ughb2d, 181
 ughd2b, 182
 ughplot, 183

VP startup arguments, 44
 VP startup options, 44

X-windows, 45
 XYDATA, 110, 138, 156, 157, 159