

Discrete Simulation



Announcements

- Lab 10 tonight
- PS9 due tomorrow (9:00)
- PA9 due tomorrow (11:59)

- Exam 2 on 3rd (Thursday!)
- Units 6, 7, 8, 9, 10

Exam 2

- ▣ Review Session Tuesday, 4:30 – 6:30
 - ▣ Wean 7500
- ▣ 80 minutes (full class period)
- ▣ Questions?

Last Week

- How to generate pseudo-random numbers
- Using randomness in interesting applications
- Monte Carlo simulations
 - Run many experiments with random inputs
 - Approximate an answer when an analytical solution is difficult/infeasible to obtain

Understanding Systems

- **Data Visualization** and Simulations are different
- We try to visualize the results of simulations to make it easy to see/understand the systems...
- ...because generally what we try to see/understand or predict is complicated because of the nature of systems.

Systems

- Collection of tracks, railway cars, infrastructure: railroad system
- Collection of hardware and software: computer system
- Collection of educations, students, infrastructure: school system

Dynamic, Interactive, Complicated

How Can we Study a System?

- Experiment with the **actual system**
- Experiment with a **model of the system**
 - **Physical model**
 - May not exist, be unsafe, be expensive to build and modify, or change too slowly over time
 - **Mathematical model**
 - **Analytical solution** (Equations or systems may be too complex for closed-form or analytical solution)
 - **Simulation:** The imitative representation of the functioning of one system or process by means of the functioning of another, for example a computer program.

Computer simulation is a process of making a computer behave like a cow, an airplane, a battlefield, a social system, a terrorist, a HIV virus, a growing tree, a manufacturing plant, a mechanical system, an electric circuit, a stock market, a galaxy, a molecule, or any other thing. This is done with a specific purpose, mainly in order to carry out some **“what if” experiments** over the computer model instead of the real system.

*Modeling and Simulation,
S. Raczynski*

Uses of Simulation

- ▣ **Testing:** Performance optimization, safety engineering, testing of new technologies.
- ▣ **Predicting:** Gaining a better understanding of natural and human systems, and making predictions.
- ▣ **Training:** Providing lifelike experiences in training, education, games.

Large Scale Simulations

- Computing power of today enables large scale simulations. For example,
 - Department of Defense: Battle simulations
 - National Center for Atmospheric Research : 1,000 years of climactic changes
<http://www.youtube.com/watch?v=d8sHvhLvFBo>
 - Blue Brain Project at EPFL to reverse engineer the human brain
<http://www.youtube.com/watch?v=ySgmZOTkQA8>


Advantages of Using Simulation

- With simulation, we can
 - Control sources of variation
 - Choose the scale of time
 - **Stop and review**
 - **Replicate results** more easily

Models

- A *model* is an abstraction of the real system. It represents the system and the rules that govern the behavior of the system.
- The model represents the system itself, whereas the simulation represents the operation of the system over time.

Modeling Concerns

- Abstraction: Accuracy vs. Complexity
 - Most relevant factors
- How important is it to capture continuous behavior over time? (Discrete vs. Continuous models)
 - Discrete models: essential variables are enumerable, e.g., integers 
 - Continuous models: essential variables range over non-enumerable sets such as real numbers
- Do parts of the system exhibit random behavior? (Deterministic vs. stochastic models)

Computational Science

- Computational sciences use computational models (special kind of mathematical models) as the basis of obtaining scientific knowledge.
- Unifies
 - Modeling, algorithms, simulations
 - Computing environment developed to solve science, engineering, medicine, and humanities problems
- Helps explain and predict phenomena using a mechanistic view

Simulation Models are Descriptive

- They tell us how a system works under given conditions but not how to set the conditions to make the system work best
- Simulation does not “optimize” but it helps us in finding an optimal set of parameter settings.

DISCRETE SIMULATION: A Simple Example

Discrete Time and Discrete Events

- Real time vs. model time
 - In simulating the movements of a galaxy one hour simulation may cover billions of years
- In discrete simulation we assume time changes in discrete steps (ticks) and the states of simulated entities change instantaneously

Discrete Simulation of Disease Spread

- We are going to use a dynamic, discrete, stochastic simulation model
 - We want to capture how the disease spreads over time
 - We model time discretely as a sequence of days, and use discrete variables to capture the health state of each person
 - There is randomness in how the virus spreads
- Simulate the system execution as a sequence of discrete events that change the state of the system instantaneously at each time step

Example: Flu Virus Simulation

- Goal: Develop a simple simulation that shows graphically how disease spreads through a population.

Modeling the Spread of Flu Virus


- Every person is **healthy, infected, contagious, or immune**.
 - An infected person is not contagious.
- Each day, a healthy person comes in contact with **4 random people**. If any of those random people is contagious, then the healthy person becomes infected.
- It takes **one day** for the infected person to become contagious.
- After a person has been **contagious for 4 days**, then the person is immune and cannot spread the virus nor can the person get the virus again due to immunity.

Displaying the Population

Assumption:


The population consists of 400 people each of which is represented by a cell in the grid.

For simplicity, assume that **two cells being adjacent does NOT mean that they are physically close.**




Graphical Simulation


Simulation captures the evolution of the health state of the population over time. It evolves in discrete steps: change occurs instantaneously as a new day begins.



Displaying the Population




Displaying One Person



grid expands this way →

grid expands this way ↓

More Generally For Any Person



Health States

0	white	healthy	HEALTHY = 0
1	pink	infected	INFECTED = 1
2	red	contagious (day 1)	DAY1 = 2
3	red	contagious (day 2)	DAY2 = 3
4	red	contagious (day 3)	DAY3 = 4
5	red	contagious (day 4)	DAY4 = 5
6	purple	immune	IMMUNE = 6

The health state of the population will be represented using a 20 by 20 matrix where each entry has one of the values above.

Updating the matrix

```
def update(matrix):
    # create new matrix, initialized to all zeroes
    newmatrix = []
    for i in range(20):
        newmatrix.append([0] * 20)
    # create next day
    for i in range(20):
        for j in range(20):
            if immune(matrix, i, j):
                newmatrix[i][j] = IMMUNE
            elif infected(matrix, i, j) or
                 contagious(matrix, i, j):
                newmatrix[i][j] = matrix[i][j] + 1
            elif healthy(matrix, i, j):
                for k in range(4): # repeat 4 times
                    if contagious(matrix,
                                   randrange(20), randrange(20)):
                        newmatrix[i][j] = INFECTED
    return newmatrix
```

We use an expression that already has a Boolean value instead of a test with "=="



Displaying the matrix

```
def display(matrix,c):  
    for row in range(len(matrix)):  
        for col in range(len(matrix[0])):  
            person = matrix[row][col]  
            if person == HEALTHY:  
                color = "white"  
            elif person == INFECTED:  
                color = "pink"  
            elif person >= DAY1 and person <= DAY4:  
                color = "red"  
            else:                # non-contagious or wrong input  
                color = "purple"  
            { c.create_rectangle(col*10, row*10, col*10 + 10,  
                                row*10 + 10, fill = color)
```

*create_rectangle (topleft_x, topleft_y, bottomright_x, bottomright_y,
optional params)*

Testing display

```
def test_display():  
    window = tkinter.Tk()  
    # create a canvas of size 200 X 200  
    c = Canvas(window,width=200,height=200)  
    c.pack()  
    matrix = []  
    # create a randomly filled matrix  
    for i in range(20):  
        row = []  
        for j in range(20):  
            row.append(randrange(7))  
        matrix.append(row)  
    # display the matrix using your display function  
    display(matrix,c)
```

Checking Health State

```
def immune(matrix, i, j):
```

```
    return matrix[i][j] == IMMUNE
```

```
def contagious(matrix, i, j):
```

```
    return matrix[i][j] >= DAY1 and matrix[i][j] <= DAY4
```

```
def infected(matrix, i, j):
```

```
    return matrix[i][j] == INFECTED
```

```
def healthy(matrix, i, j):
```

```
    return matrix[i][j] == HEALTHY
```

```

def test_update():
    window = tkinter.Tk()
    # create a canvas of size 200 X 200
    c = Canvas(window,width=200,height=200)
    c.pack()
    # initialize matrix a to all healthy
    # individuals
    matrix= []
    for i in range(20):
        matrix.append([0] * 20)
    # infect one random person
    matrix[randrange(20)][randrange(20)] = INFECTED
    display(matrix,c)
    # Canvas.delay = 3
    sleep(0.3)
    # run the simulation for 10 "days
    for day in range(0, 10):
        c.delete(tkinter.ALL)
        matrix = update(matrix)
        display(matrix,c)
        sleep(0.3)
        c.update() #force new pixels to display

```

Running the Code

```
import tkinter
from tkinter import Canvas
from random import randrange
from time import sleep

# Constants for health states of an individual

HEALTHY = 0
INFECTED = 1
DAY1 = 2
DAY2 = 3
DAY3 = 4
DAY4 = 5
IMMUNE = 6
```


What if Our Model Changes?

- If a healthy person contacts a contagious person, she gets sick 40% of the time.

```
if(contagious(matrix,randrange(20),  
    randrange(20)) and randrange(100) <40):  
    newmatrix[i][j] = INFECTED
```

What if Our Model Changes?

- The current model does not capture neighbor relationship. The adjacency of 2 cells does not indicate that they are neighbors.
- What if we used to grid to capture neighbor relationship and assumed that a healthy person gets infected if they have at least one contagious neighbor?

Neighbors

```
cell = matrix[i][j]
```

```
north = matrix[i-1][j]
```

NO!

```
if i == 0:
```

YES!

```
    north = None
```

```
else:
```

```
    north = matrix[i-1][j]
```

Next Time

- ▣ Continuous simulation