



# College of Engineering

## **ADVANCED COLLABORATION**





# CONTENTS

---

<b>ABOUT THE ICON</b> .....	<b>3</b>
<b>COLOR</b> .....	<b>4</b>
<b>MONOCHROME AND WHITE OUT</b> .....	<b>5</b>
<b>SIZE</b> .....	<b>6</b>
<b>INCORRECT USAGE</b> .....	<b>7</b>
<b>APPLICATIONS</b>	
<b>VISUAL DOMINANCE</b> .....	<b>8</b>
<b>SCALE</b> .....	<b>9</b>
<b>EXPLODED</b> .....	<b>10</b>
<b>ANIMATION</b> .....	<b>11</b>





# ABOUT THE ICON

This document is designed to provide guidance for using Carnegie Mellon University College of Engineering's advanced collaboration icon. For other style requirements, refer to the official Carnegie Mellon University brand standards, found at: <http://www.cmu.edu/marcom/brand-standards/index.html>.

## What does it represent?

This icon illustrates the state of advanced collaboration in which Carnegie Mellon University's College of Engineering operates.

The colors, shapes, and angles formed by the intersecting triangles are a metaphor for the dynamic interactions driving the college's cutting-edge research. There are no impenetrable boundaries between one branch of our organization and any other.


## How SHOULD it be used?

Flexibility is this icon's greatest asset. It has the ability to function as the dominant visual element in a piece, recede into the background, and even be deconstructed. For example applications, see pages 9-12 of this document.

## How SHOULDN'T it be used?

The icon is NOT meant to replace the College of Engineering's wordmark, or represent the college in all circumstances. Therefore, the Carnegie Mellon University and/or College of Engineering wordmark should always appear with the icon.

# College of Engineering ADVANCED COLLABORATION




**We will no longer use the tower icon,** except in cases where communicating directly with alumni who may have a strong affinity for our campus' architecture.





# COLOR

The Pantone, CMYK, RGB, and HEX (web) color values used to create the icon are listed below.



**1** **Pantone Black C**  
 Process C M Y K  
           63 62 59 94 %  
 HEX #2D2926  
 RGB 45, 41, 38

**2** **Pantone 187 c**  
 Process C M Y K  
           7 100 82 26 %  
 HEX #A6192E  
 RGB 166, 25, 46

**3** **Pantone 212 c**  
 Process C M Y K  
           0 78 8 0 %  
 HEX #F34E9A  
 RGB 240, 96, 152

**4** **Pantone 190 c**  
 Process C M Y K  
           0 69 17 0 %  
 HEX #f67599  
 RGB 251, 117, 152

**5** **Pantone 803 c**  
 Process C M Y K  
           0 3 97 0 %  
 HEX #FFE900  
 RGB 255, 233, 0

**6** **Pantone 380 c**  
 Process C M Y K  
           15 0 72 0 %  
 HEX #D3E13C  
 RGB 224, 230, 109

**7** **Pantone 610 c**  
 Process C M Y K  
           30 22 17 57 %  
 Web #666  
 RGB 102,102, 102

**8** **Pantone 7698 c**  
 Process C M Y K  
           30 22 17 57 %  
 Web #666  
 RGB 102,102, 102

**9** **Pantone 306 c**  
 Process C M Y K  
           30 22 17 57 %  
 Web #666  
 RGB 102,102, 102

**10** **Pantone 611 c**  
 Process C M Y K  
           30 22 17 57 %  
 Web #666  
 RGB 102,102, 102

**11** **Pantone 563 c**  
 Process C M Y K  
           30 22 17 57 %  
 Web #666  
 RGB 102,102, 102

**12** **Pantone 375 c**  
 Process C M Y K  
           30 22 17 57 %  
 Web #666  
 RGB 102,102, 102

**13** **Pantone 802 c**  
 Process C M Y K  
           30 22 17 57 %  
 Web #666  
 RGB 102,102, 102

**14** **Pantone Cool Gray 9 c**  
 Process C M Y K  
           30 22 17 57 %  
 Web #666  
 RGB 102,102, 102

**15** **Pantone 1255 c**  
 Process C M Y K  
           30 22 17 57 %  
 Web #666  
 RGB 102,102, 102

**16** **Pantone 7531 c**  
 Process C M Y K  
           30 22 17 57 %  
 Web #666  
 RGB 102,102, 102

**17** **Pantone 409 c**  
 Process C M Y K  
           30 22 17 57 %  
 Web #666  
 RGB 102,102, 102






# MONOCHROME AND WHITE OUT

## Monochrome

When monochrome is used, all elements are to be 100% black.

This form of the icon must only be used against background colors light enough to hold enough contrast to maintain legibility.

College of Engineering  
**ADVANCED COLLABORATION**




## White Out

When white out is used, all text is inverted to white.

This form of the icon must only be used against background colors strong and dark enough to hold enough contrast to maintain legibility.


College of Engineering  
**ADVANCED COLLABORATION**



# ICON SIZE


Never print the icon less than 1.125 inches wide or use it at less than 91 pixels wide in electronic publications.

## Minimum width




## Exclusion Zone


The 'exclusion zone' refers to the area around the icon which must remain free from other copy to ensure that the icon is not obscured. As the diagram indicates, the 'exclusion zone' is equal to the height of the red triangle in the icon.



# INCORRECT USAGE




DO NOT recreate the icon using a different typeface




DO NOT change the relative sizes of the icon's elements



DO NOT place the icon on a patterned background




DO NOT add graphic elements to the icon




DO NOT place the icon at an angle




DO NOT distort the icon's elements



DO NOT change the icon's colors



DO NOT place a white icon on a pale background




DO NOT place a black icon on a dark background



# APPLICATIONS

**VISUAL DOMINANCE:** The icon can serve as the dominant visual element of a layout (left, below), serve as an organizational framework for other visual content (center), or recede into the background (right).



Business  
Computer Science  
Social Science  
**Advanced Collaboration. Engineering.**

Carnegie Mellon University  
College of Engineering

Advanced Collaboration. **Accelerator.**



To fortify our research initiatives, we are pleased to announce the formation of the Engineering Research Accelerator.

The Research Accelerator, located on the sixth floor of Scott Hall, coordinates and co-locates functional areas of the college, such as research administration, corporate partnership, business support, and research incubation and acceleration activities.

Carnegie Mellon University  
College of Engineering



**ADVANCED COLLABORATION**


Carnegie Mellon University  
College of Engineering





# APPLICATIONS

**SCALE:** The icon can be used at a variety of sizes. In the examples below (from left to right) the icon denotes sections in a publication, is the visual focal point of a print ad, and is highly magnified.



# APPLICATIONS

**EXPLODED:** The icon is deconstructed into its component parts in these examples.

Log-pile nanostructure using a Nanoscribe 3-D printer  
 Conceptualized at 1:00 am and printed at 2:15 am  
 — Metin Gökhan Güney, Ph.D. candidate

College of Engineering  
 ADVANCED COLLABORATION

Carnegie Mellon University

## Who Are Our Researchers?



**JOÃO SEMEDO**  
*Ph.D. student  
 Electrical and Computer Engineering*

The human brain is an interconnected network of around a hundred billion neurons. Computation is implemented in a distributed fashion by populations of neurons, and as a result, no one neuron is especially informative as to how a given computation.



**BYRON YU**  
*Assistant Professor  
 Electrical and Computer Engineering,*

Engineers have an increasingly critical role in the quest to understand brain function, in three ways. First, we need better technologies to monitor the activity of large numbers of neurons in the brain with high temporal resolution.



**MATTHEW GOLUB**  
*Postdoctoral Scholar  
 PhD ECE '15*

Engineers will develop technologies for monitoring the electrical activities of neurons in the brain. Current technologies allow for recording from hundreds of neurons with fine time resolution, or from thousands of neurons with coarser time resolution.

College of Engineering  
 ADVANCED COLLABORATION

Carnegie Mellon University



# ANIMATION

IT'S ALIVE! Below are a few ways the icon has been animated.

