
## Legend: State markers: Start 2 3 Main user visible content and Text, etc. interface: Radio Button: Button: Text, etc. Correct move: Text, etc. Incorrect move: Text, etc. Incomplete move: Text, etc. Navigational move: Feedback content: Text, etc.



Indicate whether the following argument is valid or invalid.

Start by classifying each row of the truth-table for the argument as either providing a counterexample, or not, using the buttons to the right of the table. Once all rows have been classified, click the appropriate button below to indicate whether or not the argument is valid.



The argument above is invalid, and has counterexamples, indicated in blue.

All blue rows should be marked "yes", and all other rows should be marked "no" to be correct.

NB: The rows in the final product should all be black - the colour is just to indicate the correct answers.

2

Invalid

3

Valid

Not all rows classified

You haven't classified all the rows in the truth-table yet.

All rows classified, some incorrectly

A truth-value assignment constitutes a counterexample to an argument only if that assignment makes all the premises true and the conclusion false. Any assignment on which a premise is false or on which the conclusion is true is thus not a counterexample. Check your classification of each row carefully, since you have misclassified at least one row.

All rows classified correctly

Argument is invalid

An invalid argument must have at least one counterexample.

Argument is valid

That's right.

You haven't classified all the rows in the Not all rows classified truth-table yet. A truth-value assignment constitutes a counterexample to an argument only if that All rows classified, some assignment makes all the premises true and incorrectly the conclusion false. Any assignment on which a premise is false or on which the conclusion is true is thus not a counterexample. Check your classification of each row carefully, since you have misclassified at least one row. All rows classified correctly A valid argument doesn't have any Argument is valid counterexamples. Argument is invalid That's right.

A truth-value assignment constitutes a counterexample to an argument only if that assignment makes all the premises true and the conclusion false. Any assignment on which a premise is false or on which the conclusion is true is thus not a counterexample. Check your classification of each row carefully, since you have misclassified at least one row.

Another hint

Any row on which the conclusion of the argument is true is not a counterexample. Look for these rows first and check the appropriate boxes for them.

Another hint

Any row on which any premise of the argument is false is not a counterexample. Look for these rows next and check the appropriate boxes for them.

Another hint

Once rows with a false premise or true conclusion have been classified as non-counterexample rows, the only rows left are those where the conclusion is false, and no premise is false. Every such row is a counterexample to the argument.