

# **CSE 120**

# **Principles of Operating Systems**

**Spring 2016**

Lecture 12: Paging

# Lecture Overview

---

Today we'll cover more paging mechanisms:

- Optimizations
  - ◆ Managing page tables (space)
  - ◆ Efficient translations (TLBs) (time)
  - ◆ Demand paged virtual memory (space)
- Recap address translation
- Advanced Functionality
  - ◆ Sharing memory
  - ◆ Copy on Write
  - ◆ Mapped files

# Managing Page Tables

---


- Last lecture we computed the size of the page table for a 32-bit address space w/ 4K pages to be 4MB
  - ◆ This is far far too much overhead for each process
- How can we reduce this overhead?
  - ◆ Observation: Only need to map the portion of the address space actually being used (tiny fraction of entire addr space)
- How do we only map what is being used?
  - ◆ Can dynamically extend page table...
  - ◆ Does not work if addr space is sparse (internal fragmentation)
- Use another level of indirection: two-level page tables

# Two-Level Page Tables

---


- Two-level page tables
  - ◆ Virtual addresses (VAs) have three parts:
    - » Master page number, secondary page number, and offset
  - ◆ Master page table maps VAs to secondary page table
  - ◆ Secondary page table maps page number to physical page
  - ◆ Offset indicates where in physical page address is located
- Example
  - ◆ 4K pages, 4 bytes/PTE
  - ◆ How many bits in offset?  $4K = 12$  bits
  - ◆ Want master page table in one page:  $4K/4 \text{ bytes} = 1K$  entries
  - ◆ Hence, 1K secondary page tables. How many bits?
  - ◆ Master (1K) = 10, offset = 12, inner =  $32 - 10 - 12 = 10$  bits

# Two-Level Page Tables




# Page Table Evolution



Linear (Flat)  
Page Table



Virtual Address  
Space




Physical Memory




# Page Table Evolution

Hierarchical  
Page Table




Virtual Address  
Space

Physical Memory




# Page Table Evolution

## Hierarchical Page Table



## Virtual Address Space

## Physical Memory





# Addressing Page Tables

---

Where do we store page tables (which address space)?

- Physical memory
  - ◆ Easy to address, no translation required
  - ◆ But, allocated page tables consume memory for lifetime of VAS
- Virtual memory (OS virtual address space)
  - ◆ Cold (unused) page table pages can be paged out to disk
  - ◆ But, addressing page tables requires translation
  - ◆ How do we stop recursion?
  - ◆ Do not page the outer page table (called **wiring**)
- If we're going to page the page tables, might as well page the entire OS address space, too
  - ◆ Need to wire special code and data (fault, interrupt handlers)

# Efficient Translations

---


- Our original page table scheme already doubled the cost of doing memory lookups
  - ◆ One lookup into the page table, another to fetch the data
- Now two-level page tables triple the cost!
  - ◆ Two lookups into the page tables, a third to fetch the data
  - ◆ Worse, 64-bit architectures support 4-level page tables
  - ◆ And this assumes the page table is in memory
- How can we use paging but also have lookups cost about the same as fetching from memory?
  - ◆ Cache translations in hardware
  - ◆ Translation Lookaside Buffer (TLB)
  - ◆ TLB managed by Memory Management Unit (MMU)

# TLBs

---

- Translation Lookaside Buffers
  - ◆ Translate **virtual page #s** into **PTEs** (**not physical addrs**)
  - ◆ Can be done in a single machine cycle
- TLBs implemented in hardware
  - ◆ Fully associative cache (all entries looked up in parallel)
  - ◆ Cache tags are virtual page numbers
  - ◆ Cache values are PTEs (entries from page tables)
  - ◆ With PTE + offset, can directly calculate physical address
- TLBs exploit locality
  - ◆ Processes only use a handful of pages at a time
    - » 32-128 entries/pages (128-512K)
    - » Only need those pages to be “mapped”
  - ◆ Hit rates are therefore very important

# TLBs



# Managing TLBs

---

- Address translations for most instructions are handled using the TLB
  - ◆ >99% of translations, but there are misses (TLB miss)...
- Who places translations into the TLB (loads the TLB)?
  - ◆ Hardware (Memory Management Unit) [x86]
    - » Knows where page tables are in main memory
    - » OS maintains tables, HW accesses them directly
    - » Tables have to be in HW-defined format (inflexible)
  - ◆ Software loaded TLB (OS) [MIPS, Alpha, Sparc, PowerPC]
    - » TLB faults to the OS, OS finds appropriate PTE, loads it in TLB
    - » Must be fast (but still 20-200 cycles)
    - » CPU ISA has instructions for manipulating TLB
    - » Tables can be in any format convenient for OS (flexible)

# Managing TLBs (2)

---

- OS ensures that TLB and page tables are consistent
  - ◆ When it changes the protection bits of a PTE, it needs to invalidate the PTE if it is in the TLB
- Reload TLB on a process context switch
  - ◆ Invalidate all entries
  - ◆ Why? What is one way to fix it?
- When the TLB misses and a new PTE has to be loaded, a cached PTE must be evicted
  - ◆ Choosing PTE to evict is called the TLB replacement policy
  - ◆ Implemented in hardware, often simple (e.g., Last-Not-Used)

# Paged Virtual Memory

---

- We've mentioned before that pages can be moved between memory and disk
  - ◆ This process is called **demand paging**
- OS uses main memory as a page cache of all the data allocated by processes in the system
  - ◆ Initially, pages are allocated from memory
  - ◆ When memory fills up, allocating a page in memory requires some other page to be evicted from memory
    - » Why physical memory pages are called “frames”
  - ◆ Evicted pages go to disk (**where? the swap file/backing store**)
  - ◆ The movement of pages between memory and disk is done by the OS, and is transparent to the application

# Page Faults

---

- What happens when a process accesses a page that has been evicted?
  1. When it evicts a page, the OS sets the PTE as invalid and stores the location of the page in the swap file in the PTE
  2. When a process accesses the page, the invalid PTE will cause a trap (page fault)
  3. The trap will run the OS page fault handler
  4. Handler uses the invalid PTE to locate page in swap file
  5. Reads page into a physical frame, updates PTE to point to it
  6. Restarts process
- But where does it put it? Have to evict something else
  - ◆ OS usually keeps a pool of free pages around so that allocations do not always cause evictions



# Address Translation Redux

---

- We started this topic with the high-level problem of translating virtual addresses into physical addresses
- We've covered all of the pieces
  - ◆ Virtual and physical addresses
  - ◆ Virtual pages and physical page frames
  - ◆ Page tables and page table entries (PTEs), protection
  - ◆ TLBs
  - ◆ Demand paging
- Now let's put it together, bottom to top

# The Common Case

---

- Situation: Process is executing on the CPU, and it issues a read to an address
  - ◆ What kind of address is it? Virtual or physical?
- The read goes to the TLB in the MMU
  1. TLB does a lookup using the **page number** of the address
  2. Common case is that the page number matches, returning a **page table entry (PTE)** for the mapping for this address
  3. TLB validates that the **PTE protection** allows reads (in this example)
  4. PTE specifies which **physical frame** holds the page
  5. MMU combines the physical frame and offset into a **physical address**
  6. MMU then reads from that physical address, returns value to CPU
- Note: **This is all done by the hardware**

# TLB Misses

---

- At this point, two other things can happen
  1. TLB does not have a PTE mapping this virtual address
  2. PTE in TLB, but memory access violates PTE protection bits
- We'll consider each in turn

# Reloading the TLB

---

- If the TLB does not have mapping, two possibilities:
  1. MMU loads PTE from page table in memory
    - » Hardware managed TLB, OS not involved in this step
    - » OS has already set up the page tables so that the hardware can access it directly
  2. Trap to the OS
    - » Software managed TLB, OS intervenes at this point
    - » OS does lookup in page table, loads PTE into TLB
    - » OS returns from exception, TLB continues
- A machine will only support one method or the other
- At this point, there is a PTE for the address in the TLB

# TLB Misses (2)

---

Note that:

- Page table lookup (by HW or OS) can cause a recursive fault if page table is paged out
  - ◆ Assuming page tables are in OS virtual address space
  - ◆ Not a problem if tables are in physical memory
  - ◆ Yes, this is a complicated situation
- When TLB has PTE, it restarts translation
  - ◆ Common case is that the PTE refers to a valid page in memory
    - » These faults are handled quickly, just read PTE from the page table in memory and load into TLB
  - ◆ Uncommon case is that TLB faults again on PTE because of PTE protection bits (e.g., page is invalid)
    - » Becomes a page fault...

# Page Faults

---

- PTE can indicate a protection fault
  - ◆ Read/write/execute – operation not permitted on page
  - ◆ Invalid – virtual page not allocated, or page not in physical memory
- TLB traps to the OS (software takes over)
  - ◆ R/W/E – OS usually will send fault back up to process, or might be playing games (e.g., copy on write, mapped files)
  - ◆ Invalid
    - » Virtual page not allocated in address space
      - OS sends fault to process (e.g., segmentation fault)
    - » Page not in physical memory
      - OS allocates frame, reads from disk, maps PTE to physical frame

# Advanced Functionality

---

- Now we're going to look at some advanced functionality that the OS can provide applications using virtual memory tricks
  - ◆ Shared memory
  - ◆ Copy on Write
  - ◆ Mapped files

# Sharing

---

- Private virtual address spaces protect applications from each other
  - ◆ Usually exactly what we want
- But this makes it difficult to share data (have to copy)
  - ◆ Parents and children in a forking Web server or proxy will want to share an in-memory cache without copying
- We can use **shared memory** to allow processes to share data using direct memory references
  - ◆ Both processes see updates to the shared memory segment
    - » Process B can immediately read an update by process A
  - ◆ How are we going to coordinate access to shared data?




# Sharing (2)

---


- How can we implement sharing using page tables?
  - ◆ Have PTEs in both tables map to the same physical frame
  - ◆ Each PTE can have different protection values
  - ◆ Must update both PTEs when page becomes invalid
- Can map shared memory at same or different virtual addresses in each process' address space
  - ◆ Different: Flexible (no address space conflicts), but pointers inside the shared memory segment are invalid (Why?)
  - ◆ Same: Less flexible, but shared pointers are valid (Why?)
- What happens if a pointer inside the shared segment references an address outside the segment?

# Isolation: No Sharing

---



# Sharing Pages




# Copy on Write

---

- OSes spend a lot of time copying data
  - ◆ System call arguments between user/kernel space
  - ◆ Entire address spaces to implement fork()
- Use Copy on Write (CoW) to defer large copies as long as possible, hoping to avoid them altogether
  - ◆ Instead of copying pages, create **shared mappings** of parent pages in child virtual address space
  - ◆ Shared pages are protected as read-only in parent and child
    - » Reads happen as usual
    - » Writes generate a protection fault, trap to OS, copy page, change page mapping in client page table, restart write instruction
  - ◆ **How does this help fork()?**


# Copy on Write: Before Fork

---





# Copy on Write: On A Write



# Mapped Files


---

- Mapped files enable processes to do file I/O using loads and stores
  - ◆ Instead of “open, read into buffer, operate on buffer, ...”
- Bind a file to a virtual memory region (mmap() in Unix)
  - ◆ PTEs map virtual addresses to physical frames holding file data
  - ◆ Virtual address  $\text{base} + N$  refers to offset  $N$  in file
- Initially, all pages mapped to file are invalid
  - ◆ OS reads a page from file when invalid page is accessed
  - ◆ OS writes a page to file when evicted, or region unmapped
  - ◆ If page is not dirty (has not been written to), no write needed
    - » Another use of the dirty bit in PTE



# Mapped Files

---



# Mapped Files (2)

---

- File is essentially backing store for that region of the virtual address space (instead of using the swap file)
  - ◆ Virtual address space not backed by “real” files also called **Anonymous VM**
- Advantages
  - ◆ Uniform access for files and memory (just use pointers)
  - ◆ Less copying
- Drawbacks
  - ◆ Process has less control over data movement
    - » OS handles faults transparently
  - ◆ Does not generalize to streamed I/O (pipes, sockets, etc.)

# Summary

---

Paging mechanisms:

- Optimizations
  - ◆ Managing page tables (space)
  - ◆ Efficient translations (TLBs) (time)
  - ◆ Demand paged virtual memory (space)
- Recap address translation
- Advanced Functionality
  - ◆ Sharing memory
  - ◆ Copy on Write
  - ◆ Mapped files

Next time: Paging policies

# Next time...

---

- Chapters 21-23